

主要參數	模數	孔徑(mm)	齒頂圓直徑(mm)	分度圓直徑(mm)
(主軸)8齒	0.5	1.5	5	4
(主軸)18齒	0.5	2.5	10	9
(主軸)18齒	0.5	3	10	9
(主軸)8齒	0.5	2	5	4
(主軸)10齒	0.5	2	6	5
(主軸)14齒	0.5	2	8	7
(主軸)16齒	0.5	2	9	8
(主軸)9齒	0.5	2	5.5	4.5
(主軸)12齒	0.5	2	7	6
(冠齒)20齒	0.5	2.5	11	10
(冠齒)24/10	0.5	2	13/6	12/5
(冠齒)24/10	0.5	2	13/6	12/5
(冠齒)30/10	0.5	2	16/6	15/5
(冠齒)20齒	0.5	3	11	10
(冠齒)28齒	0.5	2	15	14
(冠齒)30齒	0.5	3	16	15
(冠齒)36/10	0.5	2	19/6	18/5
(冠齒)28/10	0.5	2	15/6	14/5
(冠齒)20齒	0.5	2	11	10
(單齒)20齒	0.5	2	11	10
(單齒)26齒	0.5	2	14	13
(單齒)28齒	0.5	2	15	14
(單齒)40齒	0.5	2	21	20
(單齒)52齒	0.5	2.5	27	26
(單齒)56齒	0.5	3	29	28

(單齒)24齒	0.5	2.5	13	12
(單齒)36齒	0.5	2	19	18
(單齒)38齒	0.5	2	20	19
(單齒)38齒	0.5	3	20	19
(單齒)44齒	0.5	2	23	22
(單齒)44齒	0.5	2.5	23	22
(單齒)48齒	0.5	2	25	24
(單齒)46齒	0.5	2.5	24	23
(單齒)50齒	0.5	3	26	25
(單齒)56齒	0.5	2	29	28
(單齒)42齒	0.5	2	22	21
(單齒)30齒	0.5	2	16	15
(雙層)18/10	0.5	2	10/6	9/5
(雙層)48/12	0.5	2.5	25/7	24/6
(雙層)46/10	0.5	2	24/6	23/5
(雙層)48/10	0.5	2	25/6	24/5
(雙層)26/10	0.5	2	14/6	15/5
(雙層)22/10	0.5	2	12/6	11/6
(雙層)32/10	0.5	2	17/7	16/6
(雙層)28/10	0.5	2	15/6	14/5
(雙層)38/08	0.5	2	20/5	19/4
(雙層)28/10	0.5	2	15/6	14/5
(雙層)32/10	0.5	2	17/6	16/5
(雙層)28/08	0.5	2	15/5	14/4

(雙層)34/12	0.5	2	18/7	17/6
(雙層)36/10	0.5	2	19/6	18/5
(雙層)50/10	0.5	2	26/6	25/5
(雙層)44/10	0.5	2	23/6	22/5
(雙層)56/10	0.5	2	29/6	28/5
(雙層)30/10	0.5	2	16/6	15/5
(雙層)24/10	0.5	2	13/6	12/5
(螺旋柱) 直徑6mm,長度6mm				
(螺旋柱) 直徑6mm,長度8mm				